DIVISION OF ENVIRONMENTAL HEALTH SOLID WASTE PROGRAM 610 UNIVERSITY AVENUE FAIRBANKS, AK 99709-3643

http://www.state.ak.us/dec/home/htm

**Telephone: (907) 451-2108** 

File Number: 800.15.002

Fax: (907) 451-2187

## CERTIFIED MAIL - RETURN RECEIPT REQUESTED #

December 13, 1999

The Honorable Agnes Berman, Mayor City of Allakaket P.O. Box 30 Allakaket, AK 99720

Re: City of Allakaket Landfill, Solid Waste Disposal Permit 9931-BA008

Dear Mayor Berman:

The Department of Environmental Conservation has completed its evaluation of your request for a solid waste disposal permit, to allow for the operation and maintenance of a Class III municipal solid waste landfill near Allakaket, Alaska in Section 27 Township 20 N., Range 24W., Fairbanks Meridian. The Department is issuing this permit in accordance with AS 46, 18 AAC 15, and 18 AAC 60. Please review the conditions and stipulations in the permit and ensure they are all understood. This permit is effective upon issuance and expires **December 1, 2004.** 

The Department approves of your request to waive the requirements of 18 AAC 60.233 (1), which requires a setback distance of 50 feet between the waste management area and the property line of the facility. The toe of the containment berms at the landfill will be located 30 feet from the property boundary and the inside edge of the berm will be 52 feet from the property boundary. The adjoining property owner, K'oyitl'ots'ina Limited does not object to the reduced setback distance.

Any person who disagrees with this decision may appeal the decision by requesting an adjudicatory hearing, using the procedures contained in 18 AAC 15.200-310. Hearing requests must be delivered to the Commissioner of the Department of Environmental Conservation, 410 Willoughby Avenue, Suite 105, Juneau, Alaska 99801-1795, within thirty (30) days of receipt of this letter. If a hearing

is not requested within thirty (30) days, the right to appeal is waived. Even if an adjudicatory hearing has been requested and granted, all permit conditions remain in full force and effect. Please also send a copy of the request to the undersigned.

Sincerely,

Heather T. Stockard Solid Waste Program Manager

 $HTS/KM/mlg \quad (EH/SW/FBKS -g:\eh\sw\1999\9931-BA008\ pmt.doc)$ 

Enclosure: \* Permit 9931-BA008

cc w/enc: Nancy Sonafrank, ADEC/Fairbanks

Don Antrobus, ANTHC, Anchorage

Trustees for Alaska/Anchorage

# ALASKA DEPARTMENT

#### OF

## ENVIRONMENTAL CONSERVATION DIVISION OF ENVIRONMENTAL HEALTH 610 UNIVERSITY AVENUE FAIRBANKS, ALASKA 99709-3643

#### SOLID WASTE DISPOSAL PERMIT

Permit: **9931-BA008** Date: December 13, 1999

This Solid Waste Disposal Permit is issued to the City of Allakaket for the operation and maintenance of a Class III Municipal Solid Waste Landfill (including construction/demolition waste and commercial refuse) near Allakaket, Alaska, located in Section 27 of Township 20 N., Range 24 W., Fairbanks Meridian. This permit is subject to the conditions and stipulations contained in Appendices A and B, which are incorporated herein by reference.

This permit is issued under provisions of Alaska Statute 46.03, the Alaska Administrative Code, as amended or revised, and other applicable State laws and regulations.

This permit is effective upon issuance and expires <u>December 1, 2004</u>. It may be terminated or modified in accordance with AS 46.03.120.

Heather T. Stockard Solid Waste Program Manager Allakaket Landfill
Permit 9931-BA008
Page 2 of 10

APPENDIX A - SPECIFIC CONDITIONS

## I. SITE DEVELOPMENT

The permit holder shall:

- A. Comply with the designs and plans submitted in the application on July 14, 1999, and in the revised Solid Waste Management Plan and existing landfill Closure Plan dated August 26, 1999, as well as the following permit conditions. Additional modifications may be requested, but must be authorized by a permit amendment, before that modification is effective.
- B. Ensure that all operations will accommodate the waste volume and are done in a manner that will facilitate landfill closure.
- C. Ensure that surface water runoff from outside the facility does not flow onto the facility and over, into, or through uncovered or covered solid wastes by constructing and maintaining diversion structures, such as ditches or berms.
- D. Erect and maintain a readily visible sign at the site currently in use with the following information legibly printed:

Facility Operator Identification Operator/Owner Name Conditions for Use Emergency Phone Numbers

- E. Erect and maintain a sign at the entrance to the site that lists items that may not be disposed of there such as: acids, corrosives, solvents, oily wastes, explosives, hazardous wastes, radioactive wastes, or unsterilized medical waste.
- F. Erect and maintain readily visible signs in the facility directing users to the various disposal areas (e.g., the active disposal area working face, the salvage area, or the animal waste disposal area) and listing pertinent rules for public use.
- G. Ensure that the site is managed in such a way as to prevent attracting wildlife, or domestic animals to the facility.
- H. Construct and maintain fences and a locking gate to control site and wildlife access. The gate will be unlocked only during the operating hours established by the community. Access to the site will be restricted to the hours of operation or on a special call out basis.

Allakaket Landfill
Permit 9931-BA008
Page 3 of 10

## II. SITE OPERATION

The permit holder shall:

## A. General Operating Procedures

- 1. Ensure that only domestic and commercial solid waste, construction and demolition wastes, and ash are disposed of at this site.
- 2. Maintain a controlled designated salvage area for the public. The area will be cleaned up on an annual basis and unused materials placed in the active cell area for disposal. Salvage area cleanups will be conducted on a more frequent basis if the area becomes a litter, nuisance or safety problem.
- 3. Ensure that the public is made aware of the rules and operations plan for the landfill. Control public access to the site, as necessary, to reduce risks to public health and safety.

#### B. Animal/Fish Waste

- 1. Ensure that animal and fish wastes will be placed in an area designated for their disposal at the site.
- 2. Ensure that animal and fish wastes are coated with a thin layer of hydrated lime and covered immediately with at least six inches of soil after each disposal.
- 3. Maintain a container and supply of hydrated lime near the animal/fish waste disposal area for use by the operator to treat waste placed at the site.

#### D. Burial

- Consolidate and compact all loose refuse and cover with a minimum of six inches
  of compacted soil at least once each month during the summer months when soils
  are workable. Burial of wastes will be required on a more frequent basis to
  reduce nuisances, animal attraction, or blowing litter if the Department determines
  there is a problem.
- 2. Consolidate and compact all loose refuse once each month during the winter months. Cover compacted waste with a minimum of 6 inches of soil as soon as soils are workable in spring.
- 3. Ensure the working face is kept as small as practical to reduce the potential for windblown litter and for the attraction of birds and animals.
- 4. Ensure that solid wastes will not be placed in surface waters.

Allakaket Landfill
Permit 9931-BA008
Page 4 of 10

## D. Burial (cont.)

5. Ensure that the maximum disposal cell working face does not exceed **one hundred feet** in width and the height does not exceed **3 feet**.

- 6. Ensure the wastes placed in the disposal cell are compacted in two-foot increments, with a minimum of five (4) repetitive passes of the dozer/ compaction equipment on site prior to placement of the six inches of cover material.
- 7. Ensure that waste oils or oily wastes are managed in accordance with 40 CFR 279. Oil filters must be hot drained and crushed or incinerated prior to disposal.
- 8. Ensure that all large containers (e.g., cleaned barrels or drums) are crushed and flattened to prevent voids in the fill. Ensure that all nonsalvageable drums are empty of fluids prior to crushing and burying. All fluids removed from drums will be properly disposed of in accordance with all applicable State and Federal laws, including but not limited to, RCRA, the Clean Water Act, the Clean Air Act, Title 46 of Alaska Statutes and 18 AAC 60.
- 9. Maintain a separation distance of 30 feet between the outer (toe) edge of the waste containment berm and the property boundary.
- 10. Ensure that scrap vehicles or automobiles have been drained of all petroleum products and coolants, and the lead-acid batteries have been removed prior to disposal at the site.

## E. Burning

- 1. Prohibit open burning on the working face and immediately extinguish any fires that occur on the working face.
- 2. Notify the Department of Environmental Conservation, Fairbanks Office, at 451-2108 within 24-hours of a fire, if any fires occur on the working face.
- 3. Allow controlled open burning of wastes which do not create black smoke, if done in an area away from the working face in burn boxes, burn cages, or other enhanced burning devices. Burning shall occur only when an attendant is on duty. Burn boxes should be emptied of ash at least once each week or more often if full.
- 4. Implement a waste separation plan, as necessary, to ensure the best combustion efficiency for the waste being burned.

Allakaket Landfill
Permit 9931-BA008
Page 5 of 10

#### F. Access

 Construct and maintain on-site roads as necessary to ensure adequate traffic control. Adequate traffic control means that the site supervisor will maintain positive control of all persons who are within the landfill boundaries, and that refuse will be deposited in approved locations. Dumping in unauthorized areas violates conditions of this permit and Alaska Administrative Codes.

#### G. Litter

1. Collect all windblown and littered refuse from the disposal site and along the entrance road at least **once each month** during summer months and return it to the active disposal area for burial. All littered wastes on lands within five hundred (500) feet of the site, whether windblown or dumped, will be collected and disposed of at a frequency necessary to prevent this litter from becoming an aesthetic nuisance.

#### H. Snow Control

- 1. Remove snow where possible from the disposal cell operations area prior to winter compaction operations and spring snowmelt.
- 2. Deposit any snow removed in an area away from the landfill working face within the landfill and clean up any accumulated litter in that area after the snow melts.
- 3. Erect snow fences or berms, as necessary, to control blowing snow at the site.

## III. PROHIBITIONS AND SPECIAL RESTRICTIONS

The permit holder shall:

- A. Prohibit discharge of firearms at the facility.
- B. Prohibit disposal of regulated asbestos containing material at this site. Non-regulated asbestos containing material may be disposed of on a case-by-case basis, with written approval of the ADEC Fairbanks office, if the site is in compliance with the requirements of 18 AAC 60.490 a (1-3).
- C. Prohibit disposal of hazardous wastes, as defined in 40 CFR 261.3, oily wastes, waste oil, greases, paints, sludges, and chemical wastes at this facility.
- D. Prohibit disposal of lead-acid vehicle batteries at this site. <u>Batteries may be stored</u> temporarily in a designated area in covered, leak-proof storage containers prior to their transport to a recycler or permitted disposal site.

Allakaket Landfill
Permit 9931-BA008
Page 6 of 10

## III. PROHIBITIONS AND SPECIAL RESTRICTIONS (cont.)

E. Prohibit storage of used oil, or antifreeze or other bulk liquids at the landfill site. Used oil and other hazardous bulk liquids must be stored in a bermed and lined area located away from the landfill facility.

- F. Prohibit disposal of contaminated soil which contains metals or other chemicals in concentrations that the Department determines poses an unacceptable risk to human health or the environment. Prohibit the disposal of contaminated soil which:
  - 1. Contains concentrations of hazardous substances exceeding one or more of the applicable migration to groundwater levels set in 18 AAC 75.341 Table B1 or Table B2;
  - 2. Exhibits the characteristic of toxicity described in 40 C.F.R. 261.24(a); or
  - 3. Is determined by the department under 18 AAC 75 to pose a migration to surface water threat. Soil contamination that does not exceed migration to groundwater levels may still be considered contaminated soil under 18 AAC 75.
- G. Prohibit the disposal of unsterilized medical waste. Medical waste must be treated and packaged to prevent a health hazard before disposing of in the landfill.
- H. Prohibit the disposal of bulk liquids at the site. Containers being disposed of must hold one gallon or less of liquid.

## IV. MONITORING AND REPORTING

The permit holder shall:

- Visually monitor the site each month for signs of damage or potential damage to any part of
  the facility due to settlement, ponding, leakage, frost action, or erosion. The visual inspection
  should include observations for any violations of the permit conditions for the facility.
   Retain the results of visual monitoring in the operating record for the facility for
  review by employees or by ADEC during inspections.
- B. Maintain a set of site development and use plans and submit an updated copy to the Department showing current status of site development by **October 15** of each year of the permit.

Allakaket Landfill
Permit 9931-BA008
Page 7 of 10

## V. MONITORING AND REPORTING (cont.)

C. Maintain an Operating Record in a readily accessible place in the community or at the landfill containing:

- 1. A copy of the permit application and permit.
- 2. Inspection records, training procedures, and notification procedures required by 18 AAC 60.240.
- 3. Any demonstration, certification, or monitoring data required in this permit including how the facility meets Class III criteria.
- 4. The operating plan described in 18 AAC 60.210(b)(9).
- 5. As-built drawings of the landfill.
- 6. Location restriction demonstrations such as those for minimum distance to runways or flood plains.
- 7. Copies of visual inspection records for the facility.

## V. CLOSURE AND RESTORATION

The permit holder shall:

- A. Notify the Department's Fairbanks/Northern Office at least thirty (30) days before the site is to be permanently closed and the equipment withdrawn.
- B. Ensure that a final cover is applied within ninety (90) days after the last waste is deposited, and consists of a minimum of two feet of material. The top six inches will consist of soil, which will promote adequate water retention for the successful revegetation of the site with native vegetation or grasses.
- C. Ensure that the covered areas and drainage control structures are graded to promote and maintain surface water runoff, to prevent ponding and erosion, and to minimize the amount of water entering the solid waste.
- D. Develop and implement a vegetative cover plan for completed areas within the first growing season after closure, using plant species recommended by the Alaska Plant Material Center (907) 745-4469.
- E. Complete additional surface restoration work if the Department determines that significant erosion, ponding, settlement, or lack of success with revegetation has occurred within five (5) years of facility closure.

Allakaket Landfill
Permit 9931-BA008
Page 8 of 10

## V. CLOSURE AND RESTORATION (cont.)

F. Prepare a survey as-built or record drawings showing the location, volume and type of waste deposited at the solid waste disposal site, and a legal description of the landfill property which would be found during a title search. Submit the as-built to the ADEC Solid Waste Program, Fairbanks Office, within sixty (60) days of the final closure or expiration date of this permit.

G. Within sixty (60) days after the entire facility is permanently closed to landfilling, file the survey as-built or record drawings of the area used as a landfill with the State Recorder's Office or other appropriate land records office approved by the Department. At the same time, file a notation informing future property owners that use of the land may not disturb the integrity of the final cover, cap, or other structures or devices installed as part of closure, unless approved by the Department. Submit proof of these recordings to this Department.

Allakaket Landfill Permit 9931-BA008

Page 9 of 10

#### **APPENDIX B - GENERAL PERMIT CONDITIONS**

## I. ACCESS AND INSPECTION

The permittee shall allow the Commissioner or her/his representative access to the permitted facilities at reasonable times to conduct scheduled or unscheduled inspections or tests to determine compliance with this permit, State laws, and regulations.

## II. INFORMATION ACCESS

Except for information relating to confidential processes or methods of manufacture, all records and reports submitted in accordance with the terms of this permit shall be available for public inspection at the State of Alaska Department of Environmental Conservation, Fairbanks Office, 610 University Avenue, Fairbanks, Alaska 99709-3643.

## III. CIVIL AND CRIMINAL LIABILITY

Nothing in this permit shall relieve the permittee from civil or criminal penalties for noncompliance, whether or not such noncompliance is due to factors beyond his control, including, but not limited to, accidents, equipment breakdowns, or labor disputes.

## IV. AVAILABILITY

The permittee shall post or maintain a copy of this permit available to the public at the disposal facility.

## V. ADVERSE IMPACT

The permittee shall take all necessary means to minimize any adverse impacts to the receiving waters or lands resulting from noncompliance with any limitation specified in this permit, including any additional monitoring needed to determine the nature and impact of the noncomplying activity. The permittee shall cleanup and restore all areas adversely impacted by the noncompliance.

## VI. CULTURAL OR PALEONTOLOGICAL RESOURCES

Should cultural or paleontological resources be discovered as a result of this activity, work which would disturb such resources is to be stopped, and the State Historic Preservation Office, Division of Parks and Outdoor Recreation, Department of Natural Resources, is to be notified immediately (907-269-8721).

Allakaket Landfill Permit 9931-BA008

Page 10 of 10

## VII. APPLICATIONS FOR RENEWAL

In accordance with 18 AAC 15.100(d), applications for renewal or amendment of this permit <u>must</u> be made no later than thirty (30) days before the expiration date of the permit or the planned effective date of the amendment.

## VIII. OTHER LEGAL OBLIGATIONS

The requirements, duties, and obligations set forth in this permit are in addition to any requirements, duties, or obligations contained in any permit that the Alaska Department of Environmental Conservation or the U.S. Environmental Protection Agency has issued or may issue to the permittee. This permit does not relieve the permittee from the duty to obtain any and all necessary permits and to comply with the requirements contained in any such permit or with applicable state and federal laws and regulations. All activities conducted by the permittee pursuant to the terms of this permit and all plans implemented by the permittee pursuant to the terms of this permit shall comply with all applicable state and federal laws and regulations.

## IX. POLLUTION PREVENTION

In order to prevent and minimize present and future pollution, when making management decisions that affect waste generation, the permittee shall consider the following order of priority options: waste source reduction; recycling of waste; waste treatment; and waste disposal.